

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--------------------------------|----------------------|---------------------------|--------------------------|------------------|
| 10/657,360 | 09/08/2003 | Michael Y. Wen | 2000.110A | 9508 |
| 7590 09/15/2006 | | | EXAMINER | |
| ExxonMobil U P. O. Box 2189 | Jpstream Research Co | DOUGLAS, JOHN CHRISTOPHER | | |
| Houston, TX 77252-2189 | | | ART UNIT | PAPER NUMBER |
| • | | | 1764 | |
| | | | DATE MAIL ED: 00/15/2004 | • |

Please find below and/or attached an Office communication concerning this application or proceeding.

| | Application No. | Applicant(s) |
|--|--|--|
| | 10/657,360 | WEN, MICHAEL Y. |
| Office Action Summary | Examiner | Art Unit |
| | John C. Douglas | 1764 |
| The MAILING DATE of this communication appeariod for Reply | pears on the cover sheet with the o | correspondence address |
| A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b). | DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tir will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE | N. nely filed the mailing date of this communication. D (35 U.S.C. § 133). |
| Status | | |
| 1) Responsive to communication(s) filed on 28 J | lune 2006. | |
| 2a)⊠ This action is FINAL . 2b)☐ This | s action is non-final. | |
| 3) Since this application is in condition for allowated closed in accordance with the practice under a secondary condition. | | |
| Disposition of Claims | | |
| 4)⊠ Claim(s) <u>1-41</u> is/are pending in the application | 1. | |
| 4a) Of the above claim(s) 1-12 is/are withdraw | | |
| 5) Claim(s) is/are allowed. | | |
| 6)⊠ Claim(s) <u>13-41</u> is/are rejected. | | |
| 7) Claim(s) is/are objected to. | | |
| 8)⊠ Claim(s) <u>1-41</u> are subject to restriction and/or | election requirement. | |
| Application Papers | | |
| 9) The specification is objected to by the Examina | er. | |
| 10) ☐ The drawing(s) filed on is/are: a) ☐ acc | cepted or b) objected to by the | Examiner. |
| Applicant may not request that any objection to the | drawing(s) be held in abeyance. Se | e 37 CFR 1.85(a). |
| Replacement drawing sheet(s) including the correct | • | |
| 11) ☐ The oath or declaration is objected to by the E | xaminer. Note the attached Office | Action or form PTO-152. |
| Priority under 35 U.S.C. § 119 | | |
| 12) ☐ Acknowledgment is made of a claim for foreign a) ☐ All b) ☐ Some * c) ☐ None of: | n priority under 35 U.S.C. § 119(a |)-(d) or (f). |
| 1. Certified copies of the priority documen | ts have been received. | |
| Certified copies of the priority documen | ts have been received in Applicat | ion No |
| Copies of the certified copies of the price | ority documents have been receive | ed in this National Stage |
| application from the International Burea | • | |
| * See the attached detailed Office action for a list | t of the certified copies not receive | ed. |
| | | |
| Attachment(s) | | (DTO 440) |
| Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) | 4) 💹 Interview Summary Paper No(s)/Mail D | |
| 3) Information Disclosure Statement(s) (PTO/SB/08) | 5) 🔲 Notice of Informal F | |
| Paper No(s)/Mail Date | 6) | |

Page 2

Application/Control Number: 10/657,360

Art Unit: 1764

DETAILED ACTION

Terminal Disclaimer

1. The terminal disclaimer filed on 6/28/2006 disclaiming the terminal portion of any

patent granted on this application, which would extend beyond the expiration date of US

Patent # 6852215 has been reviewed and is accepted. The terminal disclaimer has

been recorded.

Election/Restrictions

2. Applicant's election with traverse of Group II, claims 13-41 in the reply filed on

6/28/2006 is acknowledged. The traversal is on the ground(s) that both the apparatus

and process claims have consistency of subject matter. This is not found persuasive

because the apparatus can be used as a reactor for a reforming process and thus is

distinct from the cracking process of the invention.

The requirement is still deemed proper and is therefore made FINAL.

3. The rejections §102 and §103 rejections are maintained:

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Application/Control Number: 10/657,360 Page 3

Art Unit: 1764

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claim 41 is rejected under 35 U.S.C. 102(b) as being anticipated by Khan (US 6059957). Khan discloses a stabilized light oil product (see Khan, column 6, lines 46-55).

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. Claims 13-18, 20, 21, 25-27, and 34-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chahvekilian (US 3842138) in view of Khan (US 6059957) and Gomi (US 3689401).
- 9. With respect to claims 13-17, 24, 36, and 37 Chahvekilian discloses a process of thermally cracking a vaporized heavy distillate of crude oil at a temperature of between

Art Unit: 1764

4704

625 and 1000 degrees C (1157 to 1832 degrees F) for 0.01 to 0.5 seconds in the presence of hydrogen and quenching the thermally cracked oil with a heavy oil immediately once it leaves the reactor (see Chahvekilian, column 1, lines 15-18, column 3, lines 33-47, column 4, lines 24-28 and lines 58-61, and column 8, lines 35-50). Chahvekilian does not disclose where the heavy oil upgrading process stabilizes the quenched oil product at a temperature below 850 degrees F for 1-60 minutes to form a stabilized oil product and produces 95-wt% or greater liquid products.

However, Khan discloses upgrading heavy oil into lighter oil with a 0.97-wt% liquid product (see Khan, column 2, lines 40-42 and Table 6, where the liquid weight is 178.8 gm and the gas weight is 4.51 gm).

Khan discloses that it is preferred for gases derived from the upgrading process to be separated and recycled back into the process (see Khan, column 6, lines 38-46).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian to include upgrading heavy oil into lighter oil with a 0.97-wt% liquid product in order to recycle the gas back into the process.

Also, Gomi discloses stabilizing products from thermal cracking by subjecting the product to temperatures between 40 and 200 degrees C for 0.1 to 2 hours (104-392 degrees C for 6-120 minutes) (see Gomi, column 3, lines 10-30).

Gomi discloses that thermally unstable substances are converted into resins when heated and can cause plugging of pipes (see Gomi, column 3, lines 54-60).

Art Unit: 1764

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian to include stabilizing products from thermal cracking by subjecting the product to temperatures between 40 and 200 degrees C for 0.1 to 2 hours in order to prevent the products from producing resins and plugging pipes.

- 10. With respect to claim 18, Chahvekilian also discloses where the quenched oil product is recycled as feed (see Chahvekilian, column 8, lines 15-19).
- 11. With respect to claims 20 and 21, Chahvekilian in view of Khan and Gomi disclose everything in claim 16, but Chahvekilian does not disclose where at least 30 percent of the total upgrading of said heavy oil occurs in the stabilization step.

However, Gomi discloses a stabilizing step following thermal cracking that is performed under the same parameters as the claimed stabilization step (see Gomi, column 3, lines 20-25 and paragraph 9, above).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian to include where at least 30 percent of the total upgrading of said heavy oil occurs in the stabilization step because both applicants invention and Gomi disclose thermal cracking followed by a stability step and the stability step of Gomi is operated under the same conditions as Gomi. Thus, the stability step of Gomi should produce similar products of the claimed invention, such as where at least 30 percent of the total upgrading of said heavy oil occurs in the stabilization step.

Art Unit: 1764

12. With respect to claim 25, Chahvekilian in view of Khan and Gomi disclose everything in claim 16 (see paragraph 9), but Chahvekilian does not disclose where the hydrogen containing gas is syngas produced primarily from air as an oxidizing agent, where the syngas contains hydrogen gas.

However, Khan discloses where the hydrogen containing gas is syngas produced from oxygen as the oxidizing agent, where the syngas contains hydrogen gas (see Khan, column 2, lines 5-7 and column 4, lines 4-8).

Khan discloses that syngas is obtained by a reaction in the process and is used to supply hydrogen to the reaction and that hydrogen not generated in the refinery must be preheated (see Khan, column 1, lines 57-67 and column 3, lines 59-65).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian to include where the hydrogen containing gas is syngas produced from oxygen as the oxidizing agent, where the syngas contains hydrogen gas in order to avoid preheating the hydrogen.

- 13. With respect to claim 26, Chahvekilian discloses where the thermal cracking step is conducted at a pressure between 5 and 70 bars (73-1015 psi) (see Chahvekilian, column 3, lines 45-47).
- 14. With respect to claim 27, Chahvekilian discloses where the thermal cracking step is conducted at a hydrogen gas partial pressure of 7.14 bar (103.6 psi) (see Chahvekilian, column 11, Table I and 7.14 bar is obtained by multiplying the percent hydrogen in the reactor of 34.4% by the reactor pressure of 21 bars).

Art Unit: 1764

15. With respect to claims 34 and 35, Chahvekilian in view of Khan and Gomi disclose everything in claim 16 (see paragraph 9), but Chahvekilian in view of Gomi and Khan do not disclose where the reaction severity index of the stabilizing step is below 200 seconds.

However, Gomi discloses a stabilizing step following thermal cracking that is performed under the same parameters as the claimed stabilization step (see Gomi, column 3, lines 20-25 and paragraph 9, above).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian in view of Khan and Gomi to include where the reaction severity index of the stabilizing step is below 200 seconds because both applicants invention and Gomi disclose thermal cracking followed by a stability step and the stability step of Gomi is operated under the same conditions as Gomi. Thus, the stability step of Gomi should be performed under similar conditions as Gomi, which would mean that the reaction severity index of the stabilizing step is below 200 seconds.

16. With respect to claim 38, Chahvekilian in view of Khan and Gomi disclose everything in claim 16 (see paragraph 9), and Chahvekilian discloses where thermal cracking is conducted without a catalyst (see Chahvekilian, column 1, lines 55-57), but Chahvekilian does not disclose a stabilizing step.

However, Khan discloses a stabilizing step using an inert gas and does not disclose a catalyst in this step (see Khan, column 6, lines 47-55).

Art Unit: 1764

Khan discloses that the stabilizing step is used to remove dissolved gases (see Khan, column 6, lines 47-55).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian to include a stabilizing step using an inert gas and does not disclose the use of a catalyst in order to remove dissolved gases.

- 17. With respect to claim 39, Chahvekilian does not disclose the presence of solids in the feed oil and the feed oil contains less than 1% of residue (see Chahvekilian, column 12, Table IV).
- 18. With respect to claim 40, Chahvekilian in view of Khan and Gomi disclose everything in claim 16 (see paragraph 9), and Chahvekilian discloses where the product stream is fractionated and the heavy oil fraction is recycled to the thermal cracking step (see Chahvekilian, column 8, lines 32-35 and Figure 1).
- 19. Claims 22, 23, 32, and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chahvekilian in view of Khan and Gomi as applied to claim 16 above, and further in view of Gregoli (US 6016868).
- 20. With respect to claims 22 and 23, Chahvekilian in view of Khan and Gomi disclose everything in claim 16 (see paragraph 9), but do not disclose where the process produces less than 1 wt% of C1 to C4 hydrocarbons.

However, Gregoli discloses a product containing 1.12 wt% of C1-C4 hydrocarbons (see Gregoli, column 26, Table 10 and MPEP §2144.05).

Art Unit: 1764

Gregoli discloses that the hydrocarbon gases are removed from the processed oil before the product oil is obtained (see Gregoli, column 13, lines 1-30).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian in view of Khan and Gomi to include a product containing 1.12 wt% of C1-C4 hydrocarbons because most of the C1-C4 hydrocarbons are removed from the product oil as a gas.

21. With respect to claims 32 and 33, Chahvekilian in view of Khan and Gomi disclose everything in claim 16 (see paragraph 9), but do not disclose where the process produces 1050 degrees F conversion of greater than 35-wt%.

However, Gregoli discloses a process that produces a 975 degree F conversion of 50% (see Gregoli, column 22, Table 6 and MPEP §2144.05).

Gregoli discloses that increased hydrogen improves product quality (see Gregoli, column 23, lines 26-28).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian in view of Khan and Gomi to include a process that produces a 975 degree F conversion of 50% so that the product produced is of an improved quality.

- 22. Claims 19 and 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chahvekilian in view of Khan and Gomi as applied to claim 16 above, and further in view of Benham (US 6004453).
- 23. With respect to claim 19, Chahvekilian in view of Khan and Gomi disclose everything in claim 18 (see paragraph 9), but do not disclose where the total mass flow

Art Unit: 1764

rate of feed oil provided to the thermal cracking step is at least 10 times greater than the first flow rate of the fresh feed stream.

However, Benham discloses that the product yields of distillate increase as the % of gas recycle increases (see Benham, Figure 7).

Benham discloses that recycling heavy gas oil to the reactor allows for increased reaction temperatures without coke formation (see Benham, column 5, lines 20-25).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian in view of Khan and Gomi to include where the thermal cracking step is at least 10 times greater than the first flow rate of the fresh feed stream because product yields improve as the recycle rate increases and recycling heavy gas oil to the reactor allows for increased reaction temperatures without coke formation.

24. With respect to claims 29-31, Chahvekilian in view of Khan and Gomi disclose everything in claim 16 (see paragraph 9), but do not disclose where the process produces less than 0.1 wt% of coke on a fresh feed oil basis.

However, Benham discloses a process that produces no coke (see Benham, column 4, lines 36-41).

Benham discloses that coke formation can create a problem of limiting reactor temperatures (see Benham, column 5, lines 1-9).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian in view of Khan and

Art Unit: 1764

Gomi to include a process that produces no coke in order to prevent reactor temperatures from being limited.

25. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over Chahvekilian in view of Khan and Gomi as applied to claim 27 above, and further in view of Fuderer (US 4822521). Chahvekilian in view of Khan and Gomi disclose everything in claim 27, but do not disclose where the steam to hydrocarbon ratio used to produce syngas is from 0.5:1 to 2.0:1.

However, Fuderer discloses producing synthesis gas with a steam to hydrocarbon ratio of 2:1 (see Fuderer, column 2, lines 13-15 and column 1, lines 26-29).

Fuderer discloses that conventional steam reforming is conducted with a steam to hydrocarbon ratio of 2:1 (see Fuderer, column 1, lines 26-29).

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to modify the process of Chahvekilian in view of Khan and Gomi to include producing synthesis gas with a steam to hydrocarbon ratio of 2:1 because it is conventional to use such a ratio in steam reforming.

Response to Arguments

- 26. Applicant's arguments filed 6/28/2006 have been fully considered but they are not persuasive.
- 27. Applicant first argues that claim 41 is not anticipated by Khan. According to MPEP §2113, "[T]he lack of physical description in a product-by-process claim makes determination of the patentability of the claim more difficult, since in spite of the fact that

Control Hamber: 10/007,00

Art Unit: 1764

the claim may recite only process limitations, it is the patentability of the product claimed and not of the recited process steps which must be established. We are therefore of the opinion that when the prior art discloses a product which reasonably appears to be either identical with or only slightly different than a product claimed in a product-by-process claim, a rejection based alternatively on either section 102 or section 103 of the statute is eminently fair and acceptable. As a practical matter, the Patent Office is not equipped to manufacture products by the myriad of processes put before it and then obtain prior art products and make physical comparisons therewith." *In re Brown*, 459 F.2d 531, 535,173 USPQ 685, 688 (CCPA 1972). Thus, the upgraded heavy oil of claim 41 stands anticipated by the upgraded heavy oil of Khan.

28. Applicant next argues that Chahvekilian does not show heavy oil upgrading. However, the heavy oil upgrading is taught by Khan. In response to applicant's arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck* & Co., 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Conclusion

29. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 10/657,360 Page 13

Art Unit: 1764

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John C. Douglas whose telephone number is 571-272-1087. The examiner can normally be reached on 7:30 A.M. to 4:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn A. Caldarola can be reached on 571-272-1444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Gienn Caldarota Supervisory Patert Examine: Ischnology Center 1700 Application/Control Number: 10/657,360 Page 14

Art Unit: 1764

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JCD

9/11/06

Glenn Caidarota Supervison/Patent Examiner Tachnology Jenter 1700